

RE-ROOF CONTRACTOR ACKNOWLEDGEMENT

Multi-Family (3 or more) and Commercial Structures

Roof Diaphragm Analysis

ADDRESS: _____

707.3.2, Florida Building Code Sixth Edition (2017), Existing Building, Roof diaphragms resisting wind loads in high-wind regions.

Where roofing materials are removed from more than 50 percent of the roof diaphragm or section of a building located where the ultimate design wind speed, V_{ult} , is greater than 115 mph, as defined in Section 1609 (the HVHZ shall comply with Section 1620) of the *Florida Building Code, Building*, roof diaphragms, connections of the roof diaphragm to roof framing members, and roof-to-wall connections shall be evaluated for the wind loads specified in the *Florida Building Code, Building*, including wind uplift. If the diaphragms and connections in their current condition are not capable of resisting at least 75 percent of those wind loads, they shall be replaced or strengthened in accordance with the loads specified in the *Florida Building Code, Building*. Does not apply to buildings permitted subject to the 1991 standard building code.

I, _____, the Contractor/Qualifier do affirm and certify that the requirements set forth by the above noted section will be performed. Any required retrofit per evaluation performed shall be recorded within the permit file and the permitting jurisdiction.

Project Approvals/ NOA: Per Florida Statute 553.842 and Florida Administrative Code 9B-72.

Underlayment: _____ / _____
Manufacturer Product Approval Number

Roofing Covering Materials: _____ / _____
Manufacturer Product Approval Number

 Qualifier's Name (Print)

 Qualifier's Signature

 License #

 Date

NOTARY
STATE OF FLORIDA
COUNTY OF COLLIER

The foregoing instrument was acknowledged before me on this _____, by _____
(Date) (Name of Person Acknowledging)

who _____ is personally known to me,
 or _____ has produced _____
(Type of ID)

 (Notary Signature and Seal)